

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,273,088 B2
APPLICATION NO. : 10/738435
DATED : September 25, 2007
INVENTOR(S) : Christopher Gregory Malone et al.

Page 1 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 5, line 56, in Claim 1, after "chassis" delete ":" and insert -- ; --, therefor.

In column 6, line 40, in Claim 2, delete "beat" and insert -- heat --, therefor.

In column 7, line 9, in Claim 5, delete "die" and insert -- the --, therefor.

In column 7, line 11, in Claim 5, delete "Inside" and insert -- inside --, therefor.

In column 7, line 23, in Claim 6, delete "trough" and insert -- through --, therefor.

In column 7, line 58, in Claim 8, delete "mare" and insert -- more --, therefor.

In column 8, line 14, in Claim 10, delete "wit" and insert -- with --, therefor.

In column 8, line 27, in Claim 10, insert -- . -- before "wherein".

In column 8, line 38, in Claim 11, delete "The" and insert -- the --, therefor.

In column 8, line 54, in Claim 12, delete "The" and insert -- the --, therefor.

In column 9, line 9, in Claim 13, delete "pan" and insert -- part --, therefor.

In column 9, line 34, in Claim 14, delete "beat" and insert -- heat --, therefor.

In column 9, line 39, in Claim 14, delete "hear" and insert -- heat --, therefor.

In column 9, line 47, in Claim 47, delete "wit" and insert -- with --, therefor.

In column 10, line 3, in Claim 16, delete "dimension" and insert -- dimensions --, therefor.

In column 10, line 14, in Claim 16, after "chassis" insert -- ; --.

In column 10, line 16, in Claim 16, delete "counted" and insert -- coupled --, therefor.

In column 10, line 19, in Claim 16, delete "component" and insert -- components --, therefor.

In column 10, line 33, in Claim 16, delete "comprises" and insert -- comprise --, therefor.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,273,088 B2
APPLICATION NO. : 10/738435
DATED : September 25, 2007
INVENTOR(S) : Christopher Gregory Malone et al.

Page 2 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 10, line 37, in Claim 16, delete "portion" and insert -- portions --, therefor.

In column 10, line 38, in Claim 16, delete "temperature" and insert -- temperatures --, therefor.

In column 10, line 53, in Claim 16, after "chassis" insert -- , --.

In column 10, line 65, in Claim 16, delete "sewer" and insert -- server --, therefor.

In column 10, line 67, in Claim 16, delete "Located" and insert -- located --, therefor.

In column 11, line 4, in Claim 16, delete "sewer" and insert -- server --, therefor.

In column 11, line 18, in Claim 17, delete "beat" and insert -- heat --, therefor.

In column 11, line 30, in Claim 18, delete "die" and insert -- the --, therefor.

In column 11, line 64, in Claim 21, delete "wore" and insert -- more --, therefor.

In column 12, line 5, in Claim 21, delete "herein" and insert -- wherein --, therefor.

In column 12, line 16, in Claim 22, delete "major" and insert -- minor --, therefor.

In column 12, line 23, in Claim 22, delete "Water" and insert -- water --, therefor.

In column 13, line 43, in Claim 27, delete "beat" and insert -- heat --, therefor.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,273,088 B2
APPLICATION NO. : 10/738435
DATED : September 25, 2007
INVENTOR(S) : Christopher Gregory Malone et al.


Page 3 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 14, line 9, in Claim 28, after "chassis" insert -- , --.

Signed and Sealed this

First Day of July, 2008

A handwritten signature in black ink, appearing to read "Jon W. Dudas". The signature is stylized with a large, looped initial "J" and a cursive "Dudas".

JON W. DUDAS
Director of the United States Patent and Trademark Office